

Necessary (24)

Necessary cookies help make a website usable by enabling basic functions like page navigation and access to secure areas of the website. The website cannot function properly without these cookies.

Name	Purpose	Expiry	Type
__cfduid [x4]	Used by the content network, Cloudflare, to identify trusted web traffic.	1 year	HTTP Cookie
__cfuid [x2]	This cookie is a part of the services provided by Cloudflare - Including load-balancing, deliverance of website content and serving DNS connection for website operators.	Session	HTTP Cookie
__RequestVerificationToken	Helps prevent Cross-Site Request Forgery (CSRF) attacks.	Session	HTTP Cookie
_gh_sess	Preserves users states across page requests.	Session	HTTP Cookie
_help_center_session	Preserves users states across page requests.	Session	HTTP Cookie
_zendesk_session	Preserves users states across page requests.	Session	HTTP Cookie
_zendesk_shared_session [x2]	Preserves users states across page requests.	Session	HTTP Cookie
_zendesk_thirdparty_test	Tests whether the website user's browser allows third party cookies.	Session	HTTP Cookie
ARRAffinity	Used to distribute traffic to the website on several servers in order to optimise response times.	Session	HTTP Cookie
ASP.NET_SessionId [x2]	Preserves the visitor's session state across page requests.	Session	HTTP Cookie
ASPXAUTH	Identifies the user and allows authentication to the server.	Session	HTTP Cookie

Name	Purpose	Expiry	Type
CookieConsent [x4]	Stores the user's cookie consent state for the current domain.	1 year	HTTP Cookie
has_recent_activity	Used to signal to the code repository GitHub if the user has browsed other GitHub resources during the current session.	1 year	HTTP Cookie
ZD-suid [x2]	Unique id that identifies the user's session.	Persistent	HTML Local Storage

Preferences (7)

Preference cookies enable a website to remember information that changes the way the website behaves or looks, like your preferred language or the region that you are in.

Name	Purpose	Expiry	Type
CookieConsentBulkSetting-#	Enables cookie consent across multiple websites.	Persistent	HTML Local Storage
CookieConsentBulkTicket	Enables cookie consent across multiple websites.	1 year	HTTP Cookie
userlang	Remembers the user's selected language version of a website.	1 year	HTTP Cookie
ZD-automaticAnswers	Used in context with the Zendesk Answer Bot function – This function sets an account-ID, in order to identify users upon support-requests and detect whether an existing help-article is relevant.	Persistent	HTML Local Storage
ZD-settings	Arbitrary and anonymous settings for the user's preferences when browsing a Zendesk knowledge base.	Persistent	HTML Local Storage
ZD-store [x2]	Registers whether the self-service-assistant Zendesk Answer Bot has been displayed to the website user.	Persistent	HTML Local Storage

Statistics (16)

Statistic cookies help website owners to understand how visitors interact with websites by collecting and reporting information anonymously.

Name	Purpose	Expiry	Type
_ga [x4]	Registers a unique ID that is used to generate statistical data on how the visitor uses the website.	2 years	HTTP Cookie
_gat [x2]	Used by Google Analytics to throttle request rate.	1 day	HTTP Cookie
_gid [x4]	Registers a unique ID that is used to generate statistical data on how the visitor uses the website.	1 day	HTTP Cookie
collect	Used to send data to Google Analytics about the visitor's device and behaviour. Tracks the visitor across devices and marketing channels.	Session	Pixel Tracker
hc:da39a3ee5e6b4b0d3255bfef95601890afd80709:recently_visited_articles	Registers statistical data on visitors' behaviour on the website. Used for internal analytics by the website operator.	Persistent	HTML Local Storage
ZD-buid [x2]	Unique id that identifies the user on recurring visits.	Persistent	HTML Local Storage
ZD-currentTime [x2]	Registers the date and time for the user's latest visit to the website.	Session	HTML Local Storage

Marketing (23)

Marketing cookies are used to track visitors across websites. The intention is to display ads that are relevant and engaging for the individual user and thereby more valuable for publishers and third party advertisers.

Name	Purpose	Expiry	Type
_fbp	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers.	3 months	HTTP Cookie
ads/ga-audiences	Used by Google AdWords to re-engage visitors that are likely to convert to customers based on the visitor's online behaviour across websites.	Session	Pixel Tracker
fr	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers.	3 months	HTTP Cookie
GPS	Registers a unique ID on mobile devices to enable tracking based on geographical GPS location.	1 day	HTTP Cookie
IDE	Used by Google DoubleClick to register and report the website user's actions after viewing or clicking one of the advertiser's ads with the purpose of measuring the efficacy of an ad and to present targeted ads to the user.	1 year	HTTP Cookie
pagead/1p-user-list/#	Generated by Google pagead dynamic marketing to track events such as conversions or other meaningful user interactions.	Session	Pixel Tracker
PREF	Registers a unique ID that is used by Google to keep statistics of how the visitor uses YouTube videos across different websites.	8 months	HTTP Cookie
test_cookie	Used to check if the user's browser supports cookies.	1 year	HTTP Cookie
tr	Used by Facebook to deliver a series of advertisement products such as real time bidding from third party advertisers.	Session	Pixel Tracker
VISITOR_INFO1_LIVE	Tries to estimate the users' bandwidth on pages with integrated YouTube videos.	179 days	HTTP Cookie

Name	Purpose	Expiry	Type
YSC	Registers a unique ID to keep statistics of what videos from YouTube the user has seen.	Session	HTTP Cookie
yt-remote-cast-installed [x2]	Stores the user's video player preferences using embedded YouTube video.	Session	HTML Local Storage
yt-remote-connected-devices [x2]	Stores the user's video player preferences using embedded YouTube video.	Persistent	HTML Local Storage
yt-remote-device-id [x2]	Stores the user's video player preferences using embedded YouTube video.	Persistent	HTML Local Storage
yt-remote-fast-check-period [x2]	Stores the user's video player preferences using embedded YouTube video.	Session	HTML Local Storage
yt-remote-session-app [x2]	Stores the user's video player preferences using embedded YouTube video.	Session	HTML Local Storage
yt-remote-session-name [x2]	Stores the user's video player preferences using embedded YouTube video.	Session	HTML Local Storage